



Product Service

CERTIFICATE

No. B 105434 0167 Rev. 00

Holder of Certificate: **LEDVANCE Operation & Management (Shenzhen) Co., Ltd.**

5/F, Block 2, Liuxian Cultural Park
No. 1002 Tongle Road, Xili, Nanshan District
518055 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **LED Module**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 6814021039301

Valid until: 2026-11-22

Date, 2021-11-23

(Taylor Yao)

CERTIFICATE

No. B 105434 0167 Rev. 00

Model(s):

LS V-500/827/5; LS V-500/830/5;
LS V-500/840/5; LS V-500/865/5;
LS V-1000/827/5; LS V-1000/830/5;
LS V-1000/840/5; LS V-1000/865/5;
LS V-1500/827/5; LS V-1500/830/5;
LS V-1500/840/5; LS V-1500/865/5;
LS V-2000/827/5; LS V-2000/830/5;
LS V-2000/840/5; LS V-2000/865/5;
LS V-500/827/5/IP66; LS V-500/830/5/IP66;
LS V-500/840/5/IP66; LS V-500/865/5/IP66;
LS V-1000/827/5/IP66; LS V-1000/830/5/IP66;
LS V-1000/840/5/IP66; LS V-1000/865/5/IP66;
LS V-1500/827/5/IP66; LS V-1500/830/5/IP66;
LS V-1500/840/5/IP66; LS V-1500/865/5/IP66;
LS V-2000/827/5/IP66; LS V-2000/830/5/IP66;
LS V-2000/840/5/IP66; LS V-2000/865/5/IP66

Brand Name:

LEDVANCE



Parameters:

Rated Supply Voltage : 24VDC
Rated Power : See below table for details
Method of Installation : Built-in
Blue Light Risk Group : RG1
tc : 75°C

Tested according to: EN IEC 62031:2020

CERTIFICATE

No. B 105434 0167 Rev. 00

Model no.	Rated Power (W) (for 5m)
LS V-500/827/5	24
LS V-500/830/5	
LS V-500/840/5	
LS V-500/865/5	
LS V-1000/827/5	40
LS V-1000/830/5	
LS V-1000/840/5	
LS V-1000/865/5	
LS V-1500/827/5	60
LS V-1500/830/5	
LS V-1500/840/5	
LS V-1500/865/5	
LS V-2000/827/5	70
LS V-2000/830/5	
LS V-2000/840/5	
LS V-2000/865/5	
LS V-500/827/5/IP66	24
LS V-500/830/5/IP66	
LS V-500/840/5/IP66	
LS V-500/865/5/IP66	
LS V-1000/827/5/IP66	40
LS V-1000/830/5/IP66	
LS V-1000/840/5/IP66	
LS V-1000/865/5/IP66	



CERTIFICATE

No. B 105434 0167 Rev. 00

LS V-1500/827/5/IP66	60
LS V-1500/830/5/IP66	
LS V-1500/840/5/IP66	
LS V-1500/865/5/IP66	
LS V-2000/827/5/IP66	70
LS V-2000/830/5/IP66	
LS V-2000/840/5/IP66	
LS V-2000/865/5/IP66	