

LEDVANCE.COM



**LEDVANCE**



**VINTAGE EDITION 1906 & DECOR**  
LAMPS & LUMINAIRES  
2024/2025

A warm, golden-hour photograph of a man and a woman sitting closely together on a couch. The man, with a beard and short brown hair, is wearing a teal polo shirt and holding a white mug. The woman, with dark hair, is wearing a plaid shirt and has her hand near her face. They are both smiling and looking out a large window to the right, where bright sunlight is streaming in, creating a soft, warm glow over the scene.

# LEDVANCE POWER THROUGH LIGHT

## A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way towards a brighter tomorrow.



# OUR STRENGTHS ARE YOUR ADVANTAGE



## COOPERATIVE

As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.



## UNIQUE

Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.



## VERSATILE

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



## INNOVATION MEETS TRADITION

We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.



## SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.



## ALL IN ONE

At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.



## CARING



We are committed to contributing to a greener planet by reducing CO<sub>2</sub> emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.



## FIRST-CHOICE PARTNER

As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

## GLOBAL PRESENCE



ACTIVE IN MORE THAN  
**140** COUNTRIES

OFFICES IN MORE THAN  
**50** COUNTRIES



# CONTENT

LEDVANCE POWER THROUGH LIGHT	2
------------------------------	---

## PRODUCTS

LUMINAIRES	6
------------	---

– DECOR STICK FLOOR	8
---------------------	---

– VINTAGE 1906 PENDULUM	12
-------------------------	----

LAMPS	28
-------	----

– DECOR SPIRAL & STRAW FILAMENT IN METAL HOUSING	30
--	----

– DECOR FLAT LAMP IN METAL HOUSING	32
------------------------------------	----

– LED FLAT LAMP	34
-----------------	----

– VINTAGE 1906 “O”-SERIES	36
---------------------------	----

– VINTAGE 1906 BIG MAGNETIC FILAMENT	38
--------------------------------------	----

– VINTAGE 1906 MAGNETIC FILAMENT	44
----------------------------------	----

– VINTAGE 1906 MILKY	46
----------------------	----

– VINTAGE 1906 COLOR	48
----------------------	----

– VINTAGE 1906 BIG BULBS	50
--------------------------	----

– VINTAGE 1906 SPECIAL SHAPES	54
-------------------------------	----

– VINTAGE 1906 SPECIAL FILAMENTS	56
----------------------------------	----

– VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS	64
--	----

– VINTAGE 1906 SPIRAL FILAMENTS	70
---------------------------------	----

– VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS	74
--	----

– VINTAGE 1906 GOLD	78
---------------------	----

POS CONCEPTS	82
--------------	----

GLOSSARY	84
----------	----



# STANDING OR HANGING EITHER WAY, THEY'RE ALREADY DESIGN CLASSICS

Vintage Edition 1906 and DECOR luminaires by LEDVANCE are bestsellers and will continue to be so. No other luminaires combine such authentic, versatile and uncomplicated design with state-of-the-art LED technology. These decorative, high-quality luminaires add style to any room. Available either as DECOR Stick floor luminaires or as Vintage Edition 1906 PenduLum luminaires, they can be combined, grouped, bundled or used in isolation. When fitted with matching lamps, they create fascinating effects, not least thanks to their modern minimalist designs ... see for yourself.












# DECOR STICK FLOOR DARK GREY



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	Ø d (mm)	
--------------	------------	-----	-------	----------	----	--------	----------	--

## Decor Stick Floor Dark Grey

DECOR STICK FLOOR SHORT 1XE27 DG	4058075833975	1	Dark grey	Steel	IP20	780	260	2
DECOR STICK FLOOR TALL 1XE27 DG	4058075832992	2	Dark grey	Steel	IP20	1460	260	2
DECOR STICK FLOOR 2XE27 DG	4058075833012	3	Dark grey	Steel	IP20	1460	320	2
DECOR STICK FLOOR 3XE27 DG	4058075833036	4	Dark grey	Steel	IP20	780	320	2


Perfect in combination with  
Big Magnetic Filament lamps,  
see pages 38-43

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)





## DECOR STICK FLOOR BEIGE



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	Ø d (mm)	
--------------	------------	-----	-------	----------	----	--------	----------	--

### Decor Stick Floor Beige

DECOR STICK FLOOR SHORT 1XE27 BG	4058075833074	1	Beige	Steel	IP20	780	260	2
DECOR STICK FLOOR TALL 1XE27 BG	4058075833050	2	Beige	Steel	IP20	1460	260	2
DECOR STICK FLOOR 2XE27 BG	4058075833098	3	Beige	Steel	IP20	1460	320	2
DECOR STICK FLOOR 3XE27 BG	4058075833111	4	Beige	Steel	IP20	780	320	2



Perfect in combination with  
Big Magnetic Filament lamps,  
see pages 38-43

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)





# VINTAGE 1906 PENDULUM



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	Ø (mm)	
--------------	------------	-----	-------	----------	----	--------	--------	--


Vintage 1906 PenduLum								
Vintage 1906 PenduLum Black	4058075227996	1	Black	Aluminum	IP20	2 114	68	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)





# VINTAGE 1906 PENDULUM NEEDLE



Product name	GTIN (EAN)		COLOR	MATERIAL	IP			
		No.				(mm)	(mm)	


Vintage 1906 PenduLum Needle								
1906 PENDULUM NEEDLE E27 DG	4058075833159	1	Dark grey	Steel	IP20	2 287	100	4
1906 PENDULUM NEEDLE E27 BG	4058075833173	2	Beige	Steel	IP20	2 287	100	4

Perfect in combination with Big Magnetic Filament lamps of the same color, see pages 38-41

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)



# VINTAGE 1906 PENDULUM BOBBIN



Product name	GTIN (EAN)		COLOR	MATERIAL	IP			
--------------	------------	--	-------	----------	----	--	--	--


Vintage 1906 PenduLum Bobbin								
Vintage 1906 PenduLum Bobbin Black	4099854092541	1	Black	Steel	IP20	1 625	100	4
Vintage 1906 PenduLum Bobbin Gun Metal	4099854092527	2	Dark grey	Steel	IP20	1 625	100	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)












# VINTAGE 1906 PENDULUM ROUND






Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 h (mm)	 Ø (mm)	
<b>Vintage 1906 PenduLum Round</b>								
Vintage 1906 PenduLum Round Chrome	4099854092602	1	Chrome	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round Gold	4099854092626	2	Gold	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round Black	4099854092589	3	Black	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round White	4099854092565	4	White	Steel	IP20	1 640	100	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)





# VINTAGE 1906 PENDULUM ROUND PLASTER



E27

MAX. 15 W

EASY MOUNTING

NOT INCL.

LEDVANCE 5 year guarantee


Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	ø (mm)	
--------------	------------	-----	-------	----------	----	--------	--------	--

Vintage 1906 PenduLum Round Plaster								
Vintage 1906 PenduLum Round Plaster White	4099854092640	1	White	Steel/plaster	IP20	1 630	120	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)



# VINTAGE 1906 PENDULUM BELL



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 IP	 h (mm)	 Ø (mm)	
--------------	------------	---	---	--	--	--	--	---

## Vintage 1906 PenduLum Bell


Vintage 1906 PenduLum Bell Black	4099854092664	1	Black	Polypropylene/silicone	IP20	1 175	92	4
Vintage 1906 PenduLum Bell White	4099854092688	2	White	Polypropylene/silicone	IP20	1 175	92	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)





# VINTAGE 1906 PENDULUM CYLINDER WOOD



E27

MAX. 15 W

EASY MOUNTING

NOT INCL.

LEDVANCE 5 year guarantee

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	d (mm)	
--------------	------------	-----	-------	----------	----	--------	--------	--

Vintage 1906 PenduLum Cylinder Wood	4099854092503	1	Wooden decor	Steel/Wood	IP20	1 630	100	4
-------------------------------------	---------------	---	--------------	------------	------	-------	-----	---


<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)







# VINTAGE 1906 PENDULUM TRIPLE CANOPY



MAX.  
3x12 W

EASY  
MOUNTING

LEDVANCE  
5 year  
guarantee



Product name

GTIN (EAN)



COLOR

MATERIAL

IP

l  
[mm]

w  
[mm]

h  
[mm]

Ø  
[mm]



## Vintage 1906 PenduLum Triple Canopy

Vintage 1906 PenduLum Triple Canopy	4058075274488	1	Black	Aluminum	IP20	—	—	25	200	4
Vintage 1906 PenduLum Triple Canopy Linear	4099854092831	2	Black	Aluminum	IP20	540	50	50	—	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

# NEW LAMPS FOR EVEN MORE STYLE

You can be certain that every luminaire fitted with our modern LED lamps has what it takes to be a real eye-catcher. LEDVANCE now offers you and your customers an even wider range of light sources for creating just the right atmosphere – in kitchens, hallways, living rooms and bedrooms.

The new “DECOR” category, for example, contains products with an elegant metal housing and E27 base. The mesh creates fascinating patterns of light on surrounding surfaces. There’s also a wide choice of light sources – from straight or spiral filaments to ultra-compact heat sink lamps with low-profile diffusers.

And your customers will be pleased to know that we have added lots of new Big Bulbs to the iconic Vintage Edition 1906 collection.











## DECOR SPIRAL & STRAW FILAMENT IN METAL HOUSING – DIM



Product name

GTIN (EAN)



### DECOR Spiral & Straw Filament in Metal Housing – dim E27, 220–240 V, folding box

DECOR LED SPIRAL FILAMENT GLOBE 125 18 GOLD DIM 3.5W 818 E27	4058075840201	1	18W	3.5	170	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED SPIRAL FILAMENT SQUARE 100 18 GOLD DIM 3.5W 818 E27	4058075840225	2	18W	3.5	170	—	Comfort warm white	✓	25000	162	100	1	4
DECOR LED SPIRAL FILAMENT GLOBE 125 14 BLACK DIM 3.5W 818 E27	4058075840287	3	14W	3.5	130	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED SPIRAL FILAMENT SQUARE 100 14 BLACK DIM 3.5W 818 E27	4058075840300	4	14W	3.5	130	—	Comfort warm white	✓	25000	162	100	1	4
DECOR LED STRAW FILAMENT GLOBE 125 16 GOLD DIM 3.5W 818 E27	4058075840164	5	16W	3.5	150	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED STRAW FILAMENT SQUARE 100 16 GOLD DIM 3.5W 818 E27	4058075840188	6	16W	3.5	150	—	Comfort warm white	✓	25000	162	100	1	4
DECOR LED STRAW FILAMENT GLOBE 125 12 BLACK DIM 3.5W 818 E27	4058075840249	7	12W	3.5	110	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED STRAW FILAMENT SQUARE 100 12 BLACK DIM 3.5W 818 E27	4058075840263	8	12W	3.5	110	—	Comfort warm white	✓	25000	162	100	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours



## DECOR FLAT LAMP IN METAL HOUSING – NON-DIM



Product name

GTIN (EAN)



### DECOR Flat Lamp in Metal Housing – non-dim E27, 220–240 V, folding box

DECOR LED FLAT GLOBE 125 GOLD 3.5W 827 Frosted E27 Non-DIM	4058075840089	1	28W	3.5	300	F	Warm white	25 000	150	125	1	4
DECOR LED FLAT SQUARE 100 GOLD 3.5W 827 Frosted E27 Non-DIM	4058075840102	2	28W	3.5	300	F	Warm white	25 000	162	100	1	4
DECOR LED FLAT GLOBE 125 BLACK 3.5W 827 Frosted E27 Non-DIM	4058075840126	3	28W	3.5	300	F	Warm white	25 000	150	125	1	4
DECOR LED FLAT SQUARE 100 BLACK 3.5W 827 Frosted E27 Non-DIM	4058075840140	4	28W	3.5	300	F	Warm white	25 000	162	100	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours





# LED FLAT LAMP



Product name

GTIN (EAN)



## LED Flat Lamp

### E27, 220–240 V, folding box, 3 Step DIM

LED STAR FLAT 26 3.5W 827 Frosted E27 3 Step DIM	4058075840027	1	26W	3.5	270	G	Warm white	3 STEP DIM	25 000	45	35	1	6
LED STAR FLAT 26 3.5W 840 Frosted E27 3 Step DIM	4058075840058	1	26W	3.5	270	G	Cool white	3 STEP DIM	25 000	45	35	1	6

### E27, 220–240 V, folding box, dim

LED STAR FLAT 29 4.5W 827 Frosted E27 DIM	4099854356926	2	29W	4.5	320	G	Warm white	✓	25 000	46	43	1	6
---	---------------	---	-----	-----	-----	---	------------	---	--------	----	----	---	---

### E27, 220–240 V, folding box, non-dim

LED STAR FLAT 28 3.5W 827 Frosted E27 Non-DIM	4058075839960	1	28W	3.5	300	F	Warm white	—	25 000	45	35	1	6
LED STAR FLAT 28 3.5W 840 Frosted E27 Non-DIM	4058075839991	1	28W	3.5	300	F	Cool white	—	25 000	45	35	1	6

### E14, 220–240 V, folding box, 3 Step DIM

LED STAR FLAT 26 3.5W 827 Frosted E14 3 Step DIM	4099854356834	3	26W	3.5	270	G	Warm white	3 STEP DIM	25 000	54	35	1	6
LED STAR FLAT 26 3.5W 840 Frosted E14 3 Step DIM	4099854356865	3	26W	3.5	270	G	Cool white	3 STEP DIM	25 000	54	35	1	6

### E14, 220–240 V, folding box, non-dim

LED STAR FLAT 28 3.5W 827 Frosted E14 Non-DIM	4099854356773	3	28W	3.5	300	F	Warm white	—	25 000	54	35	1	6
LED STAR FLAT 28 3.5W 840 Frosted E14 Non-DIM	4099854356803	3	28W	3.5	300	F	Cool white	—	25 000	54	35	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours



# VINTAGE 1906 "O"-SERIES



Product name

GTIN (EAN)



## LED Filament "O"-Series - dim E27, 220–240 V, folding box

Vintage 1906 LED GLOBE 80 22 4W DIM O-FILAMENT GOLD 818 E27	4058075846067	1	22W	4	220	—	Comfort warm white	✓	25 000	80	50	120	1	6
Vintage 1906 LED GLOBE 100 22 4W DIM O-FILAMENT GOLD 818 E27	4058075846005	2	22W	4	220	—	Comfort warm white	✓	25 000	100	66	189	1	6
Vintage 1906 LED GLOBE 130 22 4W DIM O-FILAMENT GOLD 818 E27	4058075846029	3	22W	4	220	—	Comfort warm white	✓	25 000	130	80	171	1	6
Vintage 1906 LED GLOBE 183 22 4W DIM O-FILAMENT GOLD 818 E27	4058075846043	4	22W	4	220	—	Comfort warm white	✓	25 000	183	110	232	1	6
Vintage 1906 LED GLOBE 80 12 4W DIM O-FILAMENT SMOKE 818 E27	4058075846142	5	12W	4	110	—	Comfort warm white	✓	25 000	80	50	120	1	6
Vintage 1906 LED GLOBE 100 12 4W DIM O-FILAMENT SMOKE 818 E27	4058075846081	6	12W	4	110	—	Comfort warm white	✓	25 000	100	66	189	1	6
Vintage 1906 LED GLOBE 130 12 4W DIM O-FILAMENT SMOKE 818 E27	4058075846104	7	12W	4	110	—	Comfort warm white	✓	25 000	130	80	171	1	6
Vintage 1906 LED GLOBE 183 12 4W DIM O-FILAMENT SMOKE 818 E27	4058075846128	8	12W	4	110	—	Comfort warm white	✓	25 000	183	110	232	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





## VINTAGE 1906 BIG MAGNETIC FILAMENT – DIM



Product name

GTIN (EAN)



### Vintage 1906 Big Magnetic Filament – dim E27, 220–240 V, folding box

Vintage 1906 Big Elipse 32 Magnetic DIM 12W 818 Smoke E27	4058075836303	1	32W	12	350	—	Comfort warm white	✓	15000	210	300	1	4
Vintage 1906 Big Oval 35 Magnetic DIM 12W 818 Smoke E27	4058075836327	2	35W	12	400	—	Comfort warm white	✓	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 28 Magnetic DIM 12W 818 Smoke E27	4058075836341	3	28W	12	300	—	Comfort warm white	✓	15000	370	200	1	4
Vintage 1906 Big Elipse 42 Magnetic DIM 12W 818 Amber E27	4058075836242	4	42W	12	500	—	Comfort warm white	✓	15000	210	300	1	4
Vintage 1906 Big Oval 45 Magnetic DIM 12W 818 Amber E27	4058075836266	5	45W	12	550	—	Comfort warm white	✓	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 42 Magnetic DIM 12W 818 Amber E27	4058075836280	6	42W	12	500	—	Comfort warm white	✓	15000	370	200	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





## VINTAGE 1906 BIG MAGNETIC FILAMENT – NON-DIM



Product name

GTIN (EAN)



### Vintage 1906 Big Magnetic Filament – non-dim E27, 220–240 V, folding box

Vintage 1906 Big Elipse 6 Filament Magnetic 4W 818 Smoke E27	4099854173929	1	6 W	4	60	—	Comfort warm white	15 000	210	300	1	4
Vintage 1906 Big Oval 10 Filament Magnetic 4W 818 Smoke E27	4099854173943	2	10 W	4	100	—	Comfort warm white	15 000	300	250	1	4
Vintage 1906 Big Elipse Oval 12 Filament Magnetic 4W 818 Smoke E27	4099854173981	3	12 W	4	120	—	Comfort warm white	15 000	370	200	1	4
Vintage 1906 Big Elipse 12 Filament Magnetic 2.5W 827 Amber E27	4099854173806	4	12 W	2.5	120	G	Warm white	15 000	210	300	1	4
Vintage 1906 Big Oval 25 Filament Magnetic 3.4W 827 Amber E27	4099854173844	5	25 W	3.4	250	G	Warm white	15 000	300	250	1	4
Vintage 1906 Big Elipse Oval 27 Filament Magnetic 4W 827 Amber E27	4099854173882	6	27 W	4	280	G	Warm white	15 000	370	200	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours



## VINTAGE 1906 BIG MAGNETIC FILAMENT GLASS – DIM



Product name

GTIN (EAN)



### Vintage 1906 Big Magnetic Filament Glass – dim E27, 220–240 V, folding box

Vintage 1906 Big Elipse 6 Magnetic DIM 4W 818 Smoke E27	4058075836440	1	6W	4	60	—	Comfort warm white	✓	15000	165	215	1	4
Vintage 1906 Big Oval 10 Magnetic DIM 4.8W 818 Smoke E27	4058075836464	2	10W	4.8	100	—	Comfort warm white	✓	15000	237	187	1	4
Vintage 1906 Big Elipse Oval 10 Magnetic DIM 4.8W 818 Smoke E27	4058075836488	3	10W	4.8	100	—	Comfort warm white	✓	15000	280	145	1	4
Vintage 1906 Big Globe 200 10 Magnetic DIM 4.8W 818 Smoke E27	4058075836501	4	10W	4.8	100	—	Comfort warm white	✓	15000	260	200	1	4
Vintage 1906 Big Elipse 12 Magnetic DIM 4W 818 Tea Brown E27	4058075836365	5	12W	4	120	—	Comfort warm white	✓	15000	165	215	1	4
Vintage 1906 Big Oval 20 Magnetic DIM 4.8W 818 Tea Brown E27	4058075836389	6	20W	4.8	200	—	Comfort warm white	✓	15000	237	187	1	4
Vintage 1906 Big Elipse Oval 20 Magnetic DIM 4.8W 818 Tea Brown E27	4058075836402	7	20W	4.8	200	—	Comfort warm white	✓	15000	280	145	1	4
Vintage 1906 Big Globe 200 20 Magnetic DIM 4.8W 818 Tea Brown E27	4058075836426	8	20W	4.8	200	—	Comfort warm white	✓	15000	260	200	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours







## VINTAGE 1906 MAGNETIC FILAMENT – NON-DIM



Product name	GTIN (EAN)	No.	W <sub>LED</sub>	W	lm	<sup>2</sup>		<sup>3</sup>	$\frac{l}{d}$	$\frac{\phi}{d}$		
--------------	------------	-----	------------------	---	----	--------------	--	--------------	---------------	------------------	--	--

### Vintage 1906 Magnetic Filament – non-dim E27, 220–240 V, folding box

Vintage 1906 Classic A 10 Filament Magnetic 1.8W 827 Clear E27	4099854049972	1	10 W	1.8	100	G	Warm white	15 000	105	60	1	6
Vintage 1906 Edison 16 Filament Magnetic 2.2W 827 Clear E27	4099854049859	2	16 W	2.2	150	G	Warm white	15 000	140	64	1	4
Vintage 1906 Globe 95 16 Filament Magnetic 2.2W 827 Clear E27	4099854049910	3	16 W	2.2	150	G	Warm white	15 000	138	95	1	4
Vintage 1906 Classic A 4 Filament Magnetic 1.8W 818 Smoke E27	4099854050015	4	4 W	1.8	40	—	Comfort warm white	15 000	105	60	1	6
Vintage 1906 Edison 6 Filament Magnetic 2.2W 818 Smoke E27	4099854049897	5	6 W	2.2	60	—	Comfort warm white	15 000	140	64	1	4
Vintage 1906 Globe 95 6 Filament Magnetic 2.2W 818 Smoke E27	4099854049958	6	6 W	2.2	60	—	Comfort warm white	15 000	138	95	1	4
Vintage 1906 Classic A 8 Filament Magnetic 1.8W 827 Gold E27	4099854049996	7	8 W	1.8	80	G	Warm white	15 000	105	60	1	6
Vintage 1906 Edison 12 Filament Magnetic 2.2W 827 Gold E27	4099854049873	8	12 W	2.2	120	G	Warm white	15 000	140	64	1	4
Vintage 1906 Globe 95 12 Filament Magnetic 2.2W 827 Gold E27	4099854049934	9	12 W	2.2	120	G	Warm white	15 000	138	95	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours



# VINTAGE 1906 MILKY



Product name

GTIN (EAN)



## Vintage 1906 MILKY E27, 220–240 V, folding box

Vintage 1906 Big Apple 60 DIM 7.3W 827 Frosted E27	4058075836204	1	60 W	7.3	806	E	Warm white	✓	15 000	180	135	1	4
Vintage 1906 Big Globe 200 60 DIM 7.3W 827 Frosted E27	4058075836129	2	60 W	7.3	806	E	Warm white	✓	15 000	260	200	1	4
Vintage 1906 Ballon 60 DIM 7.3W 827 Frosted E27	4058075836143	3	60 W	7.3	806	E	Warm white	✓	15 000	275	170	1	4
Vintage 1906 Big Grape 60 DIM 7.3W 827 Frosted E27	4058075836228	4	60 W	7.3	806	E	Warm white	✓	15 000	285	160	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency).

If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





## VINTAGE 1906 COLOR – DIM



Product name

GTIN (EAN)



### Vintage 1906 Color – dim E27, 220–240 V, folding box

Vintage 1906 Globe 140 15 Filament DIM 4.5W 816 Smoke E27	4058075760974	1	15 W	4.5	150	G	Comfort warm white	✓	15 000	200	140	1	4
Vintage 1906 Globe ET 124 18 Filament DIM 4.5W 816 Green E27	4058075761858	2	18 W	4.5	180	G	Comfort warm white	✓	15 000	176	125	1	4
Vintage 1906 Ballon 10 Filament DIM 4.5W 816 Blue E27	4058075761872	3	10 W	4.5	100	G	Comfort warm white	✓	15 000	270	170	1	4
Vintage 1906 Ballon 15 Filament DIM 4.5W 816 Pink E27	4058075761896	4	15 W	4.5	220	G	Comfort warm white	✓	15 000	270	170	1	4
Vintage 1906 Ballon 30 Filament DIM 4.8W 827 Clear E27	4058075761919	5	30 W	4.8	400	G	Warm white	✓	15 000	270	170	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency).

If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





## VINTAGE 1906 BIG BULBS – DIM



Product name	GTIN (EAN)	No.	W <sub>act</sub> W	W	lm	<sup>2</sup>		<sup>3</sup>	<sup>4</sup>	$\frac{l}{d}$	$\frac{\phi}{d}$		
--------------	------------	-----	--------------------	---	----	--------------	--	--------------	--------------	---------------	------------------	--	--

### Vintage 1906 Big Bulbs – dim E27, 220–240 V, folding box

Vintage 1906 Globe ET 165 15 Filament DIM 4.5W 817 Smoke E27	4058075760998	1	15 W	4.5	150	G	Comfort warm white	✓	15 000	270	165	1	4
Vintage 1906 AW 15 Filament DIM 4W 818 Smoke E27	4058075761018	2	15 W	4	140	G	Comfort warm white	✓	15 000	400	193	1	4
Vintage 1906 Classic C 125 15 Filament DIM 4W 818 Smoke E27	4099854090325	3	15 W	4	140	G	Comfort warm white	✓	15 000	283	125	1	4
Vintage 1906 NEST 10 Filament DIM 4.8W 818 Smoke E27	4058075761056	4	10 W	4.8	100	G	Comfort warm white	✓	15 000	405	200	1	4
Vintage 1906 NEST 33 Filament DIM 4.8W 822 Gold E27	4058075761834	5	33 W	4.8	360	G	Comfort warm white	✓	15 000	405	200	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency).

If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours



## VINTAGE 1906 BIG BULBS SMOKE – NON-DIM



Product name	GTIN (EAN)	No.	W <sub>Δ</sub> W	W	lm	<sup>2</sup>		<sup>3</sup>	$\frac{l}{d}$ (mm)	$\frac{\phi}{d}$ (mm)		
--------------	------------	-----	------------------	---	----	--------------	--	--------------	--------------------	-----------------------	--	--

### Vintage 1906 Big Bulbs Smoke – non-dim E27, 220–240 V, folding box

Vintage 1906 Big Globe 220 15 Filament 4.5W 818 Smoke E27	4058075836167	1	15W	4.5	150	—	Comfort warm white	15 000	225	220	1	4
Vintage 1906 Big Oval 15 Filament Magnetic 4.5W 818 Smoke E27	4058075836181	2	15W	4.5	150	—	Comfort warm white	15 000	270	170	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours





## VINTAGE 1906 SPECIAL SHAPES – NON-DIM



Product name

GTIN (EAN)



### Vintage 1906 Special Shapes – non-dim E27, 220–240 V, folding box

Vintage 1906 Edison 40 Filament Diamond 4W 824 Gold E27	4058075091955	1	40 W	4	470	E	Comfort warm white	15 000	142	110	1	4
Vintage 1906 Oval 40 Filament 4W 824 Gold E27	4099854091117	2	40 W	4	470	E	Comfort warm white	15 000	156	75	1	4
Vintage 1906 Big Globe 40 Filament Pine 4W 824 Gold E27	4058075092037	3	40 W	4	470	E	Comfort warm white	15 000	168	125	1	4
Vintage 1906 Tubular 20 Filament 2.5W 820 Gold E27	4099854091858	4	20 W	2.5	200	G	Comfort warm white	15 000	127	32	1	4
Vintage 1906 Tubular 35 Filament 4W 820 Gold E27	4099854091889	5	35 W	4	400	F	Comfort warm white	15 000	185	32	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours





# VINTAGE 1906 SPECIAL FILAMENTS CRI90 – DIM CLEAR



Product name

GTIN (EAN)



## Vintage 1906 Special Filaments CRI90 – dim clear E27, 220–240 V, folding box

Vintage 1906 Classic A 40 Spiral Filament DIM 4.6W 922 Clear E27	4058075836587	1	40 W	4.6	470	F	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Classic A 60 Spiral Filament DIM 8W 922 Clear E27	4058075836624	2	60 W	8	806	F	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Edison 60 Heart Filament DIM 7.2W 927 Clear E27	4058075836969	3	60 W	7.2	806	E	Warm white	✓	15000	139	64	1	4
Vintage 1906 Globe 80 40 Spiral Filament DIM 4.6W 927 Clear E27	4058075836785	4	40 W	4.6	470	F	Warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 60 Spiral Filament DIM 7.2W 927 Clear E27	4058075836808	5	60 W	7.2	806	E	Warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 95 60 Heart Filament DIM 7.2W 927 Clear E27	4058075836907	6	60 W	7.2	806	E	Warm white	✓	15000	139	95	1	4

## E14, 220–240 V, folding box

Vintage 1906 Classic B 28 Spiral Filament DIM 3.1W 927 Clear E14	4058075836709	7	28 W	3.1	300	F	Warm white	✓	15000	98	35	1	6
Vintage 1906 Classic P 40 Spiral Filament DIM 4.6W 927 Clear E14	4058075836747	8	40 W	4.6	470	F	Warm white	✓	15000	80	45	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





# VINTAGE 1906 SPECIAL FILAMENTS CRI90 – DIM GOLD



Product name

GTIN (EAN)



## Vintage 1906 Special Filaments CRI90 – dim gold E27, 220–240 V, folding box

Vintage 1906 Classic A 40 Spiral Filament DIM 4.9W 922 Gold E27	4058075836600	1	40W	4.9	470	F	Warm white	✓	15000	110	60	1	6
Vintage 1906 Classic A 60 Spiral Filament DIM 8W 922 Gold E27	4058075836648	2	60W	8	806	F	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Edison 40 Heart Filament DIM 4.9W 922 Gold E27	4058075836983	3	40W	4.9	470	F	Comfort warm white	✓	15000	139	64	1	4
Vintage 1906 Edison 60 Heart Filament DIM 8W 922 Gold E27	4058075837003	3	60W	8	806	F	Comfort warm white	✓	15000	139	64	1	4
Vintage 1906 Globe 80 40 Spiral Filament DIM 4.9W 922 Gold E27	4058075836822	4	40W	4.9	470	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 40 Heart Filament DIM 4.9W 922 Gold E27	4058075836860	5	40W	4.9	470	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 60 Heart Filament DIM 8W 922 Gold E27	4058075836884	5	60W	8	806	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 60 Spiral Filament DIM 8W 922 Gold E27	4058075836846	6	60W	8	806	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 95 40 Heart Filament DIM 4.9W 922 Gold E27	4058075836921	7	40W	4.9	470	F	Comfort warm white	✓	15000	139	95	1	4
Vintage 1906 Globe 95 60 Heart Filament DIM 8W 922 Gold E27	4058075836945	7	60W	8	806	F	Comfort warm white	✓	15000	139	95	1	4

## E14, 220–240 V, folding box

Vintage 1906 Classic B 28 Spiral Filament DIM 3.5W 922 Gold E14	4058075836723	8	28W	3.5	300	F	Comfort warm white	✓	15000	98	35	1	6
Vintage 1906 Classic P 40 Spiral Filament DIM 4.9W 922 Gold E14	4058075836761	9	40W	4.9	470	F	Comfort warm white	✓	15000	80	45	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency).

If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours



# VINTAGE 1906 SPECIAL FILAMENTS CRI90 – NON-DIM GOLD



Product name	GTIN (EAN)	No.	W <sub>ΔW</sub>	W	lm	<sup>2</sup>		<sup>3</sup>	$\frac{l}{(mm)}$	$\frac{\varnothing d}{(mm)}$		
--------------	------------	-----	-----------------	---	----	--------------	--	--------------	------------------	------------------------------	--	--

## Vintage 1906 Special Filaments CRI90 – non-dim gold E27, 220–240 V, folding box

Vintage 1906 Classic A 40 Spiral Filament 4.9W 922 Gold E27	4058075836525	1	40W	4.9	470	F	Comfort warm white	15 000	110	60	1	6
---	---------------	---	-----	-----	-----	---	--------------------	--------	-----	----	---	---

## E14, 220–240 V, folding box

Vintage 1906 Classic P 40 Spiral Filament 4.9W 922 Gold E14	4058075836563	2	40W	4.9	470	F	Comfort warm white	15 000	80	45	1	6
---	---------------	---	-----	-----	-----	---	--------------------	--------	----	----	---	---


<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). <sup>3</sup> Average life in hours





## VINTAGE 1906 SPECIAL FILAMENTS – NON-DIM



Product name

GTIN (EAN)



### Vintage 1906 Special Filaments – non-dim E27, 220–240 V, folding box

Vintage 1906 Classic A 40 Spiral Filament 3.4W 827 Clear E27	4058075836686	1	40W	3.4	470	D	Warm white	15 000	110	60	1	6
Vintage 1906 Classic A 60 Spiral Filament 5.9W 827 Clear E27	4058075836662	1	60W	5.9	806	D	Warm white	15 000	110	60	1	6
Vintage 1906 Edison 40 Spiral Filament 3.4W 827 Clear E27	4058075837027	2	40W	3.4	470	D	Warm white	15 000	139	64	1	4
Vintage 1906 Globe 95 40 Spiral Filament 3.4W 827 Gold E27	4058075836549	3	40W	3.4	470	D	Warm white	15 000	139	95	1	4
Vintage 1906 Classic A 10 Filament 3.4W 818 Smoke E27	4058075760912	4	10 W	3.4	100	G	Comfort warm white	15 000	105	60	1	6
Vintage 1906 Edison 10 Filament 3.4W 818 Smoke E27	4099854091353	5	10 W	3.4	100	G	Comfort warm white	15 000	140	64	1	4
Vintage 1906 Globe 95 10 Filament 3.4W 818 Smoke E27	4058075760950	6	10 W	3.4	100	G	Comfort warm white	15 000	138	95	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). <sup>3</sup> Average life in hours





# VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – DIM CLEAR



Product name

GTIN (EAN)



## Vintage 1906 Spiral Ultra Thin Filaments – dim clear E27, 220–240 V, folding box

Vintage 1906 Classic A 40 Filament DIM 4.8W 827 Clear E27	4099854075643	1	40 W	4.8	470	F	Warm white	✓	15 000	105	60	1	6
Vintage 1906 Edison 40 Filament DIM 4.8W 827 Clear E27	4099854075667	2	40 W	4.8	470	F	Warm white	✓	15 000	140	64	1	4
Vintage 1906 Globe 80 40 Filament DIM 4.8W 827 Clear E27	4099854075704	3	40 W	4.8	470	F	Warm white	✓	15 000	120	80	1	4
Vintage 1906 Globe 95 40 Filament DIM 4.8W 827 Clear E27	4099854075681	4	40 W	4.8	470	F	Warm white	✓	15 000	138	95	1	4

## E14, 220–240 V, folding box

Vintage 1906 Classic B 40 Filament DIM 4.8W 827 Clear E14	4099854075728	5	40 W	4.8	470	F	Warm white	✓	15 000	97	35	1	6
Vintage 1906 Classic P 40 Filament DIM 4.8W 827 Clear E14	4099854075742	6	40 W	4.8	470	F	Warm white	✓	15 000	78	45	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





# VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – DIM SMOKE



Product name

GTIN (EAN)



## Vintage 1906 Spiral Ultra Thin Filaments – dim smoke E27, 220–240 V, folding box

Vintage 1906 Edison 30 Filament DIM 7.8W 818 Smoke E27	4099854090981	1	30 W	7.8	360	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 30 Filament DIM 7.8W 818 Smoke E27	4099854090745	2	30 W	7.8	360	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 30 Filament DIM 7.8W 818 Smoke E27	4058075761216	3	30 W	7.8	360	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 30 Filament DIM 7.8W 818 Smoke E27	4058075761254	4	30 W	7.8	360	G	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 200 16 Filament DIM 4.8W 818 Smoke E27	4058075761278	5	16 W	4.8	150	G	Comfort warm white	✓	15000	295	200	1	4

## E27, 220–240 V, double-pack folding box

Vintage 1906 LED dim CLASSIC Edison FIL SMOKE 30 DIM 7,8W/818 E27	4099854147852	1	30 W	7.8	360	G	Comfort warm white	✓	15000	140	64	2	8
Vintage 1906 LED dim CLASSIC Globe80 FIL SMOKE 30 DIM 7,8W/818 E27	4099854147890	2	30 W	7.8	360	G	Comfort warm white	✓	15000	120	80	2	8

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





# VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – DIM GOLD



Product name

GTIN (EAN)



## Vintage 1906 Spiral Ultra Thin Filaments – dim gold E27, 220–240 V, folding box

Vintage 1906 Classic A 35 Filament DIM 4.8W 822 Gold E27	4058075761452	1	35 W	4.8	400	G	Comfort warm white	✓	15000	105	60	1	6
Vintage 1906 Edison 37 Filament DIM 4.8W 822 Gold E27	4099854091025	2	37 W	4.8	420	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Edison 48 Filament DIM 7W 822 Gold E27	4099854091049	2	48 W	7	600	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 37 Filament DIM 4.8W 822 Gold E27	4099854090806	3	37 W	4.8	420	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 80 48 Filament DIM 7W 822 Gold E27	4099854090820	3	48 W	7	600	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 37 Filament DIM 4.8W 822 Gold E27	4058075761612	4	37 W	4.8	420	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 95 48 Filament DIM 7W 822 Gold E27	4058075761636	4	48 W	7	600	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 37 Filament DIM 4.8W 822 Gold E27	4058075761650	5	37 W	4.8	420	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 125 48 Filament DIM 7W 822 Gold E27	4058075761674	5	48 W	7	600	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 200 33 Filament DIM 4.8W 822 Gold E27	4058075761698	6	33 W	4.8	400	G	Comfort warm white	✓	15000	295	200	1	4

## E27, 220–240 V, double-pack folding box

Vintage 1906 LED dim CLASSIC Edison FIL GOLD 37 DIM 4,8W/822 E27	4099854147838	2	37 W	4.8	420	F	Comfort warm white	✓	15000	140	64	2	8
Vintage 1906 LED dim CLASSIC Globe80 FIL GOLD 37 DIM 4,8W/822 E27	4099854147876	3	37 W	4.8	420	F	Comfort warm white	✓	15000	120	80	2	8

## E14, 220–240 V, folding box

Vintage 1906 Classic B 25 Filament DIM 3.4W 822 Gold E14	4099854091612	7	25 W	3.4	250	G	Comfort warm white	✓	15000	97	35	1	6
Vintage 1906 Classic P 25 Filament DIM 3.4W 822 Gold E14	4058075761438	8	25 W	3.4	250	G	Comfort warm white	✓	15000	78	45	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





## VINTAGE 1906 SPIRAL FILAMENTS – DIM



Product name

GTIN (EAN)



### Vintage 1906 Spiral Filaments – dim E27, 220–240 V, folding box


Vintage 1906 Edison 15 Filament Big Grape DIM 4W 818 Smoke E27	4058075270022	1	15 W	4	140	G	Comfort warm white	✓	15 000	290	160	1	4
Vintage 1906 Big Globe 15 Filament DIM 4W 818 Smoke E27	4058075270046	2	15 W	4	140	G	Comfort warm white	✓	15 000	290	200	1	4
Vintage 1906 Edison 28 Filament Big Grape DIM 4W 820 Gold E27	4058075269705	3	28 W	4	300	G	Comfort warm white	✓	15 000	290	160	1	4
Vintage 1906 Edison 28 Filament DIM 4W 820 Gold E27	4099854090103	4	28 W	4	300	G	Comfort warm white	✓	15 000	143	64	1	4
Vintage 1906 Edison 60 Filament DIM 8.8W 824 Gold E27	4099854137846	5	60 W	8.8	806	F	Comfort warm white	✓	15 000	143	64	1	4
Vintage 1906 Globe 28 Filament DIM 4W 820 Gold E27	4058075270008	6	28 W	4	300	G	Comfort warm white	✓	15 000	168	124	1	4
Vintage 1906 Globe 60 Filament DIM 8.8W 824 Gold E27	4099854137884	7	60 W	8.4	806	F	Comfort warm white	✓	15 000	168	125	1	4
Vintage 1906 Big Globe 28 Filament DIM 4W 820 Gold E27	4058075269729	8	28 W	4	300	G	Comfort warm white	✓	15 000	290	200	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours



## VINTAGE 1906 SPIRAL FILAMENTS – NON-DIM



Product name

GTIN (EAN)



### Vintage 1906 Spiral Filaments – non-dim E27, 220–240 V, folding box

Vintage 1906 Edison 15 Filament Big Grape 4W 818 Smoke E27	4058075269903	1	15 W	4	140	G	Comfort warm white	15 000	290	160	1	4
Vintage 1906 Edison 15 Filament 4W 818 Smoke E27	4099854091315	2	15 W	4	140	G	Comfort warm white	15 000	143	64	1	4
Vintage 1906 Globe 15 Filament 4W 818 Smoke E27	4058075269989	3	15 W	4	140	G	Comfort warm white	15 000	168	124	1	4
Vintage 1906 Big Globe 15 Filament 4W 818 Smoke E27	4058075269927	4	15 W	4	140	G	Comfort warm white	15 000	290	200	1	4
Vintage 1906 Edison 28 Filament Big Grape 4W 820 Gold E27	4058075091993	5	28 W	4	300	G	Comfort warm white	15 000	290	160	1	4
Vintage 1906 Edison 28 Filament 4W 820 Gold E27	4099854091292	6	28 W	4	300	G	Comfort warm white	15 000	143	64	1	4
Vintage 1906 Globe 28 Filament 4W 820 Gold E27	4058075092136	7	28 W	4	300	G	Comfort warm white	15 000	168	124	1	4
Vintage 1906 Big Globe 28 Filament 4W 820 Gold E27	4058075092013	8	28 W	4	300	G	Comfort warm white	15 000	290	200	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)

<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours





# VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – DIM SMOKE



Product name

GTIN (EAN)



## Vintage 1906 Straight Ultra Thin Filaments – dim smoke E27, 220–240 V, folding box

Vintage 1906 Edison 42 Filament DIM 11W 818 Smoke E27	4099854091001	1	42 W	11	500	G	Comfort warm white	✓	15 000	140	64	1	4
Vintage 1906 Globe 80 42 Filament DIM 11W 818 Smoke E27	4099854090783	2	42 W	11	500	G	Comfort warm white	✓	15 000	120	80	1	4
Vintage 1906 Globe 95 42 Filament DIM 11W 818 Smoke E27	4058075761353	3	42 W	11	500	G	Comfort warm white	✓	15 000	138	95	1	4
Vintage 1906 Globe 125 42 Filament DIM 11W 818 Smoke E27	4058075761391	4	42 W	11	500	G	Comfort warm white	✓	15 000	173	124	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours



# VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – DIM GOLD



Product name

GTIN (EAN)




## Vintage 1906 Straight Ultra Thin Filaments – dim gold E27, 220–240 V, folding box

Vintage 1906 Edison 40 Filament DIM 5.8W 822 Gold E27	4099854091063	1	40 W	5.8	470	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Edison 60 Filament DIM 8.8W 822 Gold E27	4099854091087	1	60 W	8.8	806	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 40 Filament DIM 5.8W 822 Gold E27	4099854090844	2	40 W	5.8	470	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 80 60 Filament DIM 8.8W 822 Gold E27	4099854090943	2	60 W	8.8	806	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 40 Filament DIM 5.8W 822 Gold E27	4058075761759	3	40 W	5.8	470	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 95 60 Filament DIM 8.8W 822 Gold E27	4058075761773	3	60 W	8.8	806	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 40 Filament DIM 5.8W 822 Gold E27	4058075761797	4	40 W	5.8	470	G	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 125 60 Filament DIM 8.8W 822 Gold E27	4058075761810	4	60 W	8.8	806	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Tubular 40 Filament DIM 4.8W 822 Gold E27	4099854091803	5	40 W	4.8	470	F	Comfort warm white	✓	15000	165	32	1	4

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours





## VINTAGE 1906 – DIM GOLD



Product name

GTIN (EAN)



### Vintage 1906 – dim gold E27, 220–240 V, folding box

Vintage 1906 Mini Edison ST 45 33 Filament DIM 4.8W 822 Gold E27	4058075779945	1	33 W	4.8	360	G	Comfort warm white	✓	15 000	88	45	1	6
Vintage 1906 Edison 55 Filament DIM 6.5W 824 Gold E27	4099854081514	2	55 W	6.5	725	E	Comfort warm white	✓	15 000	143	64	1	4
Vintage 1906 Edison 60 Filament DIM 7.2W 824 Gold E27	4099854137822	3	60 W	7.2	806	E	Comfort warm white	✓	15 000	143	64	1	4
Vintage 1906 Globe 80 60 Filament DIM 7.2W 824 Gold E27	4099854137860	4	60 W	7.2	806	E	Comfort warm white	✓	15 000	115	80	1	4
Vintage 1906 Globe 95 55 Filament DIM 6.5W 824 Gold E27	4099854132315	5	55 W	6.5	725	E	Comfort warm white	✓	15 000	135	95	1	4
Vintage 1906 Globe 125 55 Filament DIM 6.5W 824 Gold E27	4058075808997	6	55 W	6.5	725	E	Comfort warm white	✓	15 000	168	124	1	4

### E27, 220–240 V, double-pack folding box

Vintage 1906 LED dim CLASSIC Edison FIL GOLD 55 DIM 6,5W/824 E27	4058075754713	2	55 W	6.5	725	E	Comfort warm white	✓	15 000	143	64	2	8
Vintage 1906 LED dim CLASSIC GLOBE80 FIL GOLD 60 DIM 7,2W/824 E27	4099854137808	4	60 W	7.2	806	E	Comfort warm white	✓	15 000	115	80	2	8
Vintage 1906 LED dim CLASSIC GLOBE95 FIL GOLD 55 DIM 6,5W/824 E27	4058075754737	5	55 W	6.5	725	E	Comfort warm white	✓	15 000	135	95	2	8

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee) | <sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency).

If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).

<sup>3</sup> LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at [www.ledvance.com/dim](http://www.ledvance.com/dim) as well as in additional technical product information sheets (follow the links there) | <sup>4</sup> Average life in hours



## VINTAGE 1906 – NON-DIM GOLD



Product name	GTIN (EAN)	No.	W	lm	2		3	1	2	3	4	5
--------------	------------	-----	---	----	---	--	---	---	---	---	---	---

### Vintage 1906 – non-dim gold E27, 220–240 V, folding box

Vintage 1906 Classic A 22 Filament 2.5W 824 Gold E27	4058075293199	1	22 W	2.5	220	F	Comfort warm white	15 000	105	60	1	6
Vintage 1906 Classic A 35 Filament 4W 824 Gold E27	4058075293090	2	35 W	4	410	F	Comfort warm white	15 000	105	60	1	6
Vintage 1906 Classic A 50 Filament 6.5W 824 Gold E27	4058075293298	3	50 W	6.5	650	F	Comfort warm white	15 000	105	60	1	6
Vintage 1906 Classic A 63 Filament 7.5W 824 Gold E27	4058075293359	3	63 W	7.5	865	E	Comfort warm white	15 000	105	60	1	6
Vintage 1906 Edison 22 Filament 2.5W 824 Gold E27	4099854091339	4	22 W	2.5	220	F	Comfort warm white	15 000	143	64	1	4
Vintage 1906 Edison 35 Filament 4W 824 Gold E27	4099854091377	5	35 W	4	410	F	Comfort warm white	15 000	143	64	1	4
Vintage 1906 Globe 22 Filament 2.5W 824 Gold E27	4058075808980	6	22 W	2.5	220	F	Comfort warm white	15 000	168	124	1	4
Vintage 1906 Globe 35 Filament 4W 824 Gold E27	4099854091179	7	35 W	4	410	F	Comfort warm white	15 000	168	124	1	4
Vintage 1906 Globe 52 Filament 6.5W 824 Gold E27	4058075809406	7	52 W	6.5	720	E	Comfort warm white	15 000	168	124	1	4

### E14, 220–240 V, folding box

Vintage 1906 Classic B 12 Filament 1.5W 824 Gold E14	4099854091599	8	12 W	1.5	120	G	Comfort warm white	15 000	100	35	1	6
Vintage 1906 Classic B 22 Filament 2.5W 824 Gold E14	4099854091575	8	22 W	2.5	220	F	Comfort warm white	15 000	100	35	1	6
Vintage 1906 Classic B 35 Filament 4W 824 Gold E14	4099854091476	9	35 W	4	410	F	Comfort warm white	15 000	100	35	1	6
Vintage 1906 Classic BA 12 Filament 1.5W 824 Gold E14	4099854091551	10	12 W	1.5	120	G	Comfort warm white	15 000	121	35	1	10
Vintage 1906 Classic BA 22 Filament 2.5W 824 Gold E14	4099854091537	10	22 W	2.5	220	F	Comfort warm white	15 000	121	35	1	10
Vintage 1906 Classic BW 12 Filament 1.5W 824 Gold E14	4099854091513	11	12 W	1.5	120	G	Comfort warm white	15 000	100	35	1	6
Vintage 1906 Classic BW 22 Filament 2.5W 824 Gold E14	4099854091490	11	22 W	2.5	220	F	Comfort warm white	15 000	100	35	1	6
Vintage 1906 Classic P 22 Filament 2.5W 824 Gold E14	4058075290815	12	22 W	2.5	220	F	Comfort warm white	15 000	77	45	1	6
Vintage 1906 Classic P 35 Filament 4W 824 Gold E14	4058075293496	13	35 W	4	410	F	Comfort warm white	15 000	77	45	1	6

<sup>1</sup> For more information and precise guarantee conditions go to [www.ledvance.com/guarantee](http://www.ledvance.com/guarantee)


<sup>2</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | <sup>3</sup> Average life in hours



# POS CONCEPTS, THAT MAKE THE DIFFERENCE

Attractive new luminaires and decorative lamps are not all that LEDVANCE offers you. Specially selected POS concepts will help boost your sales.

- High-quality packaging design with clear and concise consumer information
- Sales-boosting secondary placements made of wood or sturdy cardboard, available stocked or unstocked
- Shelf placements with attention-grabbing messages and numerous functional samples
- Island solutions for special areas with or without products





### **TAILOR-MADE SALES SOLUTIONS**

Are you looking for a customized solution for your specific POS situation? No problem. Just get in touch with your customer adviser. They will be happy to help you.

### **CUSTOMER SERVICE CENTER:**

[kundenservice.retail@ledvance.com](mailto:kundenservice.retail@ledvance.com)  
Phone: +49 89 780673-670  
Fax: +49 89 780670-665



# SYMBOLS IN TABLES



Fig. no.



Equivalent wattage (incandescent lamp)



Wattage in W



Luminous flux in lumen



Energy efficiency class



Light color



Average life in hours



Housing color



Housing material



Protection class



Length l in mm



Width w in mm



Height h in mm



Diameter d in mm










Content per packaging unit



Standard pack in pcs.

# PRODUCT-SPECIFIC SYMBOLS

 <b>LED</b>	LED-Technology	 <b>IP 20</b>	Protection class	 <b>NOT INCL.</b>	Light source not included
 <b>DIM</b>	Dimmable	 <b>CRI ≥ 80</b>	Color rendering index	 <b>180°</b>	Rotatable lamp
 <b>E27</b>	E27 base	 <b>CRI ≥ 90</b>	Color rendering index	 <b>WHITE &amp; BLACK RINGS INCLUDED</b>	White & black rings included
 <b>MAX. 3x12 W</b>	Maximum lamp wattage (LED)	 <b>WARM LIGHT</b>	Light effect	 <b>LEDVANCE 3 year guarantee</b>	Guarantee period
 <b>MAX. 15 W</b>	Maximum lamp wattage (LED)	 <b>1.8m</b>	Cable length with plug	 <b>LEDVANCE 5 year guarantee</b>	Guarantee period
 <b>MAX. 25 W</b>	Maximum lamp wattage (LED)	 <b>EASY MOUNTING</b>	Easy installation		Do not throw away with household waste
 <b>MAX. 60 W</b>	Maximum lamp wattage (incandescent lamp)	 <b>FLEXIBLE MOUNTING</b>	Flexible mounting options		



# LEDVANCE

## POWER THROUGH LIGHT





## ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for smart homes and smart buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.

For more information go to [www.ledvance.com](http://www.ledvance.com).

LEDVANCE GmbH  
Parkring 1-5  
85748 Garching  
Germany

Customer Service Center:  
[kundenservice.retail@ledvance.com](mailto:kundenservice.retail@ledvance.com)

Germany:  
Phone: +49 89 780673-670



# LEDVANCE

**LEDVANCE.COM**

LEDVANCE is licensee of product trademark  
OSRAM for lamps products in general lighting.

