


# LOWBAY FLEX

## LOWBAY FLEX DALI



	EAN	l x w x h [mm]	W	V	Hz	lm	lm/W	K
LB FLEX 1200 P 42W 840 N	4099854163654	1236 x 115 x 65	42	220-240 V	50/60 Hz	6510	155	4000
LB FLEX 1200 P 42W 840 W	4058075676060	1236 x 115 x 65	42	220-240 V	50/60 Hz	6510	155	4000
LB FLEX 1200 P 42W 840 VW	4058075676084	1236 x 115 x 65	42	220-240 V	50/60 Hz	6510	155	4000
LB FLEX 1200 P 42W 840 OV	4099854163838	1236 x 115 x 65	42	220-240 V	50/60 Hz	6510	155	4000
LB FLEX 1200 P 73W 840 N	4099854163876	1236 x 115 x 65	73	220-240 V	50/60 Hz	11315	155	4000
LB FLEX 1200 P 73W 840 W	4058075676107	1236 x 115 x 65	73	220-240 V	50/60 Hz	11315	155	4000
LB FLEX 1200 P 73W 840 VW	4058075676121	1236 x 115 x 65	73	220-240 V	50/60 Hz	11315	155	4000
LB FLEX 1200 P 73W 840 OV	4099854164118	1236 x 115 x 65	73	220-240 V	50/60 Hz	11315	155	4000
LB FLEX 1200 DALI P 42W 840 N	4099854164132	1236 x 115 x 65	42	220-240 V	0/50/60 Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 W	4058075676145	1236 x 115 x 65	42	220-240 V	0/50/60 Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 VW	4058075676169	1236 x 115 x 65	42	220-240 V	0/50/60 Hz	6510	155	4000
LB FLEX 1200 DALI P 42W 840 OV	4099854164156	1236 x 115 x 65	42	220-240 V	0/50/60 Hz	6510	155	4000
LB FLEX 1200 DALI P 73W 840 N	4099854164170	1236 x 115 x 65	73	220-240 V	0/50/60 Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 W	4058075676206	1236 x 115 x 65	73	220-240 V	0/50/60 Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 VW	4058075676220	1236 x 115 x 65	73	220-240 V	0/50/60 Hz	11315	155	4000
LB FLEX 1200 DALI P 73W 840 OV	4099854164224	1236 x 115 x 65	73	220-240 V	0/50/60 Hz	11315	155	4000
LB FLEX 1500 P 73W 840 N	4099854164248	1527 x 115 x 65	73	220-240 V	50/60 Hz	11680	160	4000
LB FLEX 1500 P 73W 840 W	4099854164262	1527 x 115 x 65	73	220-240 V	50/60 Hz	11680	160	4000
LB FLEX 1500 P 73W 840 VW	4099854164286	1527 x 115 x 65	73	220-240 V	50/60 Hz	11680	160	4000
LB FLEX 1500 P 73W 840 OV	4099854164309	1527 x 117 x 76	73	220-240 V	50/60 Hz	11680	160	4000
LB FLEX 1500 P 105W 840 N	4058075676244	1527 x 115 x 65	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 P 105W 840 W	4058075676268	1527 x 115 x 65	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 P 105W 840 OV	4058075676282	1527 x 115 x 65	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 P 105W 840 VW	4099854163616	1527 x 117 x 76	105	220-240 V	50/60 Hz	16800	160	4000
LB FLEX 1500 P 140W 840 N	4099854163630	1527 x 115 x 65	140	220-240 V	50/60 Hz	22000	155	4000
LB FLEX 1500 P 140W 840 W	4099854163678	1527 x 115 x 65	140	220-240 V	50/60 Hz	22000	155	4000
LB FLEX 1500 P 140W 840 VW	4099854163692	1527 x 115 x 65	140	220-240 V	50/60 Hz	22000	155	4000
LB FLEX 1500 P 140W 840 OV	4058075676343	1527 x 117 x 76	140	220-240 V	50/60 Hz	22000	155	4000
LB FLEX 1500 DALI P 73W 840 N	4099854163753	1527 x 115 x 65	73	220-240 V	0/50/60 Hz	11680	160	4000
LB FLEX 1500 DALI P 73W 840 W	4099854163791	1527 x 115 x 65	73	220-240 V	0/50/60 Hz	11680	160	4000
LB FLEX 1500 DALI P 73W 840 VW	4099854163814	1527 x 115 x 65	73	220-240 V	0/50/60 Hz	11680	160	4000
LB FLEX 1500 DALI P 73W 840 OV	4099854163852	1527 x 117 x 76	73	220-240 V	0/50/60 Hz	11680	160	4000
LB FLEX 1500 DALI P 105W 840 N	4058075676305	1527 x 115 x 65	105	220-240 V	0/50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 W	4058075676329	1527 x 115 x 65	105	220-240 V	0/50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 VW	4058075676343	1527 x 115 x 65	105	220-240 V	0/50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 105W 840 OV	4099854163975	1527 x 117 x 76	105	220-240 V	0/50/60 Hz	16800	160	4000
LB FLEX 1500 DALI P 140W 840 N	4099854163999	1527 x 115 x 65	140	220-240 V	0/50/60 Hz	22000	155	4000
LB FLEX 1500 DALI P 140W 840 W	4099854164019	1527 x 115 x 65	140	220-240 V	0/50/60 Hz	22000	155	4000
LB FLEX 1500 DALI P 140W 840 VW	4099854164033	1527 x 115 x 65	140	220-240 V	0/50/60 Hz	22000	155	4000
LB FLEX 1500 DALI P 140W 840 OV	4099854164071	1527 x 117 x 76	140	220-240 V	0/50/60 Hz	22000	155	4000

# LOWBAY FLEX

## LOWBAY FLEX DALI



	EAN	IP	IK	∇	Ra	°(°C)	PF	👤
LB FLEX 1200 P 42W 840 N	4099854163654	23	08	60	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 W	4058075676060	23	08	90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 VW	4058075676084	23	08	120	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 42W 840 OV	4099854163838	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 N	4099854163876	23	08	60	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 W	4058075676107	23	08	90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 VW	4058075676121	23	08	120	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 P 73W 840 OV	4099854164118	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.40 kg
LB FLEX 1200 DALI P 42W 840 N	4099854164132	23	08	60	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 42W 840 W	4058075676145	23	08	90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 42W 840 VW	4058075676169	23	08	120	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 42W 840 OV	4099854164156	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 N	4099854164170	23	08	60	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 W	4058075676206	23	08	90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 VW	4058075676220	23	08	120	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1200 DALI P 73W 840 OV	4099854164224	23	08	40x90	≥ 80	-25...+50	≥ 0.9	3.30 kg
LB FLEX 1500 P 73W 840 N	4099854164248	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 73W 840 W	4099854164262	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 73W 840 VW	4099854164286	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 73W 840 OV	4099854164309	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 P 105W 840 N	4058075676244	23	08	60	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 W	4058075676268	23	08	90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 VW	4058075676282	23	08	120	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 105W 840 OV	4099854163616	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 N	4099854163630	23	08	60	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 W	4099854163678	23	08	90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 VW	4099854163692	23	08	120	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 P 140W 840 OV	4099854163715	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.45 kg
LB FLEX 1500 DALI P 73W 840 N	4099854163753	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 73W 840 W	4099854163791	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 73W 840 VW	4099854163814	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 73W 840 OV	4099854163852	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 N	4058075676305	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 W	4058075676329	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 VW	4058075676343	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 105W 840 OV	4099854163975	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 N	4099854163999	23	08	60	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 W	4099854164019	23	08	90	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 VW	4099854164033	23	08	120	≥ 80	-25...+50	≥ 0.9	4.15 kg
LB FLEX 1500 DALI P 140W 840 OV	4099854164071	23	08	40x90	≥ 80	-25...+50	≥ 0.9	4.15 kg



# LOWBAY FLEX

## LOWBAY FLEX DALI

**2x**

LB FLEX SUSPENSION KIT		
EAN	l x w x h [mm]	
4058075693722	125 x 46 x 30	0.24 kg

**2x**

LB FLEX ANGULATION MOUNT KIT		
EAN	l x w x h [mm]	
4099854177934	90 x 42 x 71	0.25 kg

**1x**

**9x**

LB FLEX 1200 BALL PROOF COVER		
EAN	l x w x h [mm]	
4099854177705	915 x 119 x 39	1.3 kg

LB FLEX 1500 BALL PROOF COVER		
EAN	l x w x h [mm]	
4099854177729	1206 x 119 x 39	1.7 kg

### LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P

1236mm

915mm

115mm

65mm

800mm (D)




1135mm (A)

1180mm (C)





1196mm (B)

# LOWBAY FLEX

## LOWBAY FLEX DALI




**LOWBAY FLEX**  
**LOWBAY FLEX DALI**




# LOWBAY FLEX LOWBAY FLEX DALI




## LB FLEX SUSPENSION KIT EAN 4058075693722



## LOWBAY FLEX 1200 P / LOWBAY FLEX 1200 DALI P








## LOWBAY FLEX 1500 P / LOWBAY FLEX 1500 DALI P








# LOWBAY FLEX

## LOWBAY FLEX DALI



# LOWBAY FLEX







## LOWBAY FLEX DALI








# LOWBAY FLEX

# LOWBAY FLEX DALI









# LOWBAY FLEX



## LOWBAY FLEX DALI



# LOWBAY FLEX

## LOWBAY FLEX DALI





C10449059  
G11196112