



Product Service

CERTIFICATE

No. Z1 097386 0310 Rev. 01

Holder of Certificate: LEDVANCE GmbH

Parkring 1-5
85748 Garching
GERMANY

Certification Mark:



Product: Fixed general purpose luminaires
(LED Fixed Luminaire)

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 6814023059402

Valid until: 2029-07-24

Date, 2024-07-25

(Taylor Yao)

CERTIFICATE

No. Z1 097386 0310 Rev. 01

Model(s):

LN INV D 1200 P 40W 930 PS WT;
 LN INV D 1200 P 40W 940 PS WT;
 LN INV D 1200 P 40W 930 PS ASY WT;
 LN INV D 1200 P 40W 940 PS ASY WT;
 LN INV D 1200 P 40W 930 DAVR WT;
 LN INV D 1200 P 40W 940 DAVR WT;
 LN INV D 1200 P 40W 930 DAVR ASY WT;
 LN INV D 1200 P 40W 940 DAVR ASY WT;
 LN INV D 1200 P 40W 930 DAVR SN WT;
 LN INV D 1200 P 40W 940 DAVR SN WT;
 LN INV D 1200 P 40W 930 DAVR SN ASY WT;
 LN INV D 1200 P 40W 940 DAVR SN ASY WT;
 LN INV DI 1200 P 55W 930 PS WT;
 LN INV DI 1200 P 55W 940 PS WT;
 LN INV DI 1200 P 54W 930 DAVR WT;
 LN INV DI 1200 P 54W 940 DAVR WT;
 LN INV DI 1200 P 54W 930 DAVR SN WT;
 LN INV DI 1200 P 54W 940 DAVR SN WT;
 LN INV D 1500 P 52W 930 PS WT;
 LN INV D 1500 P 52W 940 PS WT;
 LN INV D 1500 P 52W 930 DAVR WT;
 LN INV D 1500 P 52W 940 DAVR WT;
 LN INV D 1500 P 52W 930 DAVR SN WT;
 LN INV D 1500 P 52W 940 DAVR SN WT;
 LN INV DI 1500 P 69W 930 PS WT;
 LN INV DI 1500 P 69W 940 PS WT;
 LN INV DI 1500 P 69W 930 DAVR WT;
 LN INV DI 1500 P 69W 940 DAVR WT;
 LN INV DI 1500 P 69W 930 DAVR SN WT;
 LN INV DI 1500 P 69W 940 DAVR SN WT;
 LN INV D 1200 P 40W 930 PS BK;
 LN INV D 1200 P 40W 940 PS BK;
 LN INV D 1200 P 40W 930 PS ASY BK;
 LN INV D 1200 P 40W 940 PS ASY BK;
 LN INV D 1200 P 40W 930 DAVR BK;
 LN INV D 1200 P 40W 940 DAVR BK;
 LN INV D 1200 P 40W 930 DAVR ASY BK;
 LN INV D 1200 P 40W 940 DAVR ASY BK;
 LN INV D 1200 P 40W 930 DAVR SN BK;
 LN INV D 1200 P 40W 940 DAVR SN BK;
 LN INV D 1200 P 40W 930 DAVR SN ASY BK;
 LN INV D 1200 P 40W 940 DAVR SN ASY BK;
 LN INV DI 1200 P 55W 930 PS BK;
 LN INV DI 1200 P 55W 940 PS BK;
 LN INV DI 1200 P 54W 930 DAVR BK;
 LN INV DI 1200 P 54W 940 DAVR BK;

CERTIFICATE

No. Z1 097386 0310 Rev. 01

LN INV DI 1200 P 54W 930 DAVR SN BK;
LN INV DI 1200 P 54W 940 DAVR SN BK;
LN INV D 1500 P 52W 930 PS BK;
LN INV D 1500 P 52W 940 PS BK;
LN INV D 1500 P 52W 930 DAVR BK;
LN INV D 1500 P 52W 940 DAVR BK;
LN INV D 1500 P 52W 930 DAVR SN BK;
LN INV D 1500 P 52W 940 DAVR SN BK;
LN INV DI 1500 P 69W 930 PS BK;
LN INV DI 1500 P 69W 940 PS BK;
LN INV DI 1500 P 69W 930 DAVR BK;
LN INV DI 1500 P 69W 940 DAVR BK;
LN INV DI 1500 P 69W 930 DAVR SN BK;
LN INV DI 1500 P 69W 940 DAVR SN BK

Brand Name:

LEDVANCE



Parameters:

Rated Voltage: 220-240VAC

Rated Frequency: 50/60Hz

Rated Power: See below table for details

Protection Class: I

Degree of Protection: IP20

Blue Light Risk Group: RG1

ta: 45°C

Tested according to:

EN IEC 60598-2-1:2021

EN IEC 60598-1:2021/A11:2022

EN 62493:2015/A1:2022

CERTIFICATE

No. Z1 097386 0310 Rev. 01

| Model No. | Rated Power (W) |
|--|-----------------|
| LN INV D 1200 P 40W 930 PS WT | 40 |
| LN INV D 1200 P 40W 940 PS WT | 40 |
| LN INV D 1200 P 40W 930 PS ASY WT | 40 |
| LN INV D 1200 P 40W 940 PS ASY WT | 40 |
| LN INV D 1200 P 40W 930 DAVR WT | 40 |
| LN INV D 1200 P 40W 940 DAVR WT | 40 |
| LN INV D 1200 P 40W 930 DAVR ASY WT | 40 |
| LN INV D 1200 P 40W 940 DAVR ASY WT | 40 |
| LN INV D 1200 P 40W 930 DAVR SN WT | 40 |
| LN INV D 1200 P 40W 940 DAVR SN WT | 40 |
| LN INV D 1200 P 40W 930 DAVR SN ASY WT | 40 |
| LN INV D 1200 P 40W 940 DAVR SN ASY WT | 40 |
| LN INV DI 1200 P 55W 930 PS WT | 55 |
| LN INV DI 1200 P 55W 940 PS WT | 55 |
| LN INV DI 1200 P 54W 930 DAVR WT | 54 |
| LN INV DI 1200 P 54W 940 DAVR WT | 54 |
| LN INV DI 1200 P 54W 930 DAVR SN WT | 54 |
| LN INV DI 1200 P 54W 940 DAVR SN WT | 54 |
| LN INV D 1500 P 52W 930 PS WT | 52 |
| LN INV D 1500 P 52W 940 PS WT | 52 |
| LN INV D 1500 P 52W 930 DAVR WT | 52 |
| LN INV D 1500 P 52W 940 DAVR WT | 52 |
| LN INV D 1500 P 52W 930 DAVR SN WT | 52 |
| LN INV D 1500 P 52W 940 DAVR SN WT | 52 |
| LN INV DI 1500 P 69W 930 PS WT | 69 |
| LN INV DI 1500 P 69W 940 PS WT | 69 |
| LN INV DI 1500 P 69W 930 DAVR WT | 69 |
| LN INV DI 1500 P 69W 940 DAVR WT | 69 |
| LN INV DI 1500 P 69W 930 DAVR SN WT | 69 |
| LN INV DI 1500 P 69W 940 DAVR SN WT | 69 |

CERTIFICATE

No. Z1 097386 0310 Rev. 01

| | |
|--|----|
| LN INV D 1200 P 40W 930 PS BK | 40 |
| LN INV D 1200 P 40W 940 PS BK | 40 |
| LN INV D 1200 P 40W 930 PS ASY BK | 40 |
| LN INV D 1200 P 40W 940 PS ASY BK | 40 |
| LN INV D 1200 P 40W 930 DAVR BK | 40 |
| LN INV D 1200 P 40W 940 DAVR BK | 40 |
| LN INV D 1200 P 40W 930 DAVR ASY BK | 40 |
| LN INV D 1200 P 40W 940 DAVR ASY BK | 40 |
| LN INV D 1200 P 40W 930 DAVR SN BK | 40 |
| LN INV D 1200 P 40W 940 DAVR SN BK | 40 |
| LN INV D 1200 P 40W 930 DAVR SN ASY BK | 40 |
| LN INV D 1200 P 40W 940 DAVR SN ASY BK | 40 |
| LN INV DI 1200 P 55W 930 PS BK | 55 |
| LN INV DI 1200 P 55W 940 PS BK | 55 |
| LN INV DI 1200 P 54W 930 DAVR BK | 54 |
| LN INV DI 1200 P 54W 940 DAVR BK | 54 |
| LN INV DI 1200 P 54W 930 DAVR SN BK | 54 |
| LN INV DI 1200 P 54W 940 DAVR SN BK | 54 |
| LN INV D 1500 P 52W 930 PS BK | 52 |
| LN INV D 1500 P 52W 940 PS BK | 52 |
| LN INV D 1500 P 52W 930 DAVR BK | 52 |
| LN INV D 1500 P 52W 940 DAVR BK | 52 |
| LN INV D 1500 P 52W 930 DAVR SN BK | 52 |
| LN INV D 1500 P 52W 940 DAVR SN BK | 52 |
| LN INV DI 1500 P 69W 930 PS BK | 69 |
| LN INV DI 1500 P 69W 940 PS BK | 69 |
| LN INV DI 1500 P 69W 930 DAVR BK | 69 |
| LN INV DI 1500 P 69W 940 DAVR BK | 69 |
| LN INV DI 1500 P 69W 930 DAVR SN BK | 69 |
| LN INV DI 1500 P 69W 940 DAVR SN BK | 69 |