

CERTIFICATE

No. U6 105434 0171 Rev. 00

Holder of Certificate: **LEDVANCE Operation & Management (Shenzhen) Co., Ltd.**

5/F, Block 2, Liuxian Cultural Park
No. 1002 Tongle Road, Xili, Nanshan District
518055 Shenzhen
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:




Product: **LED Module**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142215013801

Date, 2021-12-02



(Taylor Yao)

CERTIFICATE

No. U6 105434 0171 Rev. 00

Model(s):

LS P-500/927/5; LS P-500/930/5;
LS P-500/940/5; LS P-500/965/5;
LS P-1000/927/5; LS P-1000/930/5;
LS P-1000/940/5; LS P-1000/965/5;
LS P-1500/927/5; LS P-1500/930/5;
LS P-1500/940/5; LS P-1500/965/5;
LS P-2000/927/5; LS P-2000/930/5;
LS P-2000/940/5; LS P-2000/965/5;
LS P-500/927/5/IP67; LS P-500/930/5/IP67;
LS P-500/940/5/IP67; LS P-500/965/5/IP67;
LS P-1000/927/5/IP67; LS P-1000/930/5/IP67;
LS P-1000/940/5/IP67; LS P-1000/965/5/IP67;
LS P-1500/927/5/IP67; LS P-1500/930/5/IP67;
LS P-1500/940/5/IP67; LS P-1500/965/5/IP67;
LS P-2000/927/5/IP67; LS P-2000/930/5/IP67;
LS P-2000/940/5/IP67; LS P-2000/965/5/IP67

Brand Name:

LEDVANCE

**Parameters:**

Rated Supply Voltage : 24VDC
Rated Power : See below table for details
Method of Installation : Built-in
Blue Light Risk Group : RG1
tc : 80°C

**Tested
according to:**

EN IEC 62031:2020
EN 62471:2008

**Production
Facility(ies):**

105844

CERTIFICATE

No. U6 105434 0171 Rev. 00

Model no.	Rated Power (W) (for 5m)
LS P-500/927/5	21
LS P-500/930/5	
LS P-500/940/5	
LS P-500/965/5	
LS P-1000/927/5	43
LS P-1000/930/5	
LS P-1000/940/5	
LS P-1000/965/5	
LS P-1500/927/5	60
LS P-1500/930/5	
LS P-1500/940/5	
LS P-1500/965/5	
LS P-2000/927/5	78
LS P-2000/930/5	
LS P-2000/940/5	
LS P-2000/965/5	
LS P-500/927/5/IP67	21
LS P-500/930/5/IP67	
LS P-500/940/5/IP67	
LS P-500/965/5/IP67	
LS P-1000/927/5/IP67	43
LS P-1000/930/5/IP67	
LS P-1000/940/5/IP67	
LS P-1000/965/5/IP67	
LS P-1500/927/5/IP67	60
LS P-1500/930/5/IP67	
LS P-1500/940/5/IP67	
LS P-1500/965/5/IP67	
LS P-2000/927/5/IP67	78
LS P-2000/930/5/IP67	
LS P-2000/940/5/IP67	
LS P-2000/965/5/IP67	